T298S

Features PRODUCT SELLING POINT Analog intercom + Stereo speaker AMODWA WCDMA/GSM Radio + Analog 400MHz **Clear voice** Call globally **Trunking radios** Support group calls, single calls 3G/WIFI/GPS/Bluetooth Dispatch management platform **Play back function** Smart phone functions Military quality IP54

T298S



T298S **NETWORK RADIO T298S** Antenna Lanyard Hole Vol Knob Status Indicator Lamp leceive Optical Indicator Denoi PPT Front Camera Hand Microphon Rear Camera Interface 00 Touch Screen Analog Intercom Analog Intercom Transmission Button Belt Clip 14. · / -Keyboard Analog Intercom -USB Port Switch Button -Battery Cove 3... 6... 9... 2= 5= 8= 10.0 Чак * . Primary Microphone **Battery Latch PRODUCT INFORMATION** Network Support: GSM900/1800MHz,WCDMA2100 Model: T298S **Dominant Frequency: 1.0Ghz** Platform: MTK6572A Size: 129*61*27.6mm Android4.4.2 Weight: ~262g Accessories:Battery , USB Charger, RAM: 512M Battery Capacity: 3500mAh User Guide, Belt Clip, Antenna, Data Cable

T298S

Network Support: GSM900/1800 MHz, WCDMA2100+simulation intercom 400MHz

- ٠
- Conventional intercom: 400-520MHz
- Dominant Frequency: 1.2 Ghz
- Platform: MTK 6572A
- Operating System: Android 4.4.2
- Memory:32Gb+4Gb
- Extended Memory: up to 32Gb
- Battery Capacity:3500mAh
- Screen TP Display:2.4QVGA 240*32 multi-point touch screen
- Intercom Globally
- Cameras in the front and the back, focus automatically
- Super-strong standby more than 800 hours
- 32-diameter speaker with double chambers
- Positioning system supports GPS+BeiDou
- Support WIFI/ BT/ MP3/MP4
- MICRO 5PIN data line
- Reporting number command of English and Chinese
- IP54 protective
- CRO 5PIN data line
- Reporting number command of English and Chinese
- IP54 protective